

Appendix A: Statewide Report - Massachusetts

<u>Indicator</u>	<u>Title V</u>	CAPTA 1	Head Start ²	SAMHSA Sub-State Treatment Planning Data Reports	Other	Comments
Premature birth -Percent: # live births before 37 weeks/total # live births	9.0%					Reporting period: 2004-2008
Low-birth-weight infants -Percent: # resident live births less than 2500 grams/# resident live births	7.9%					Reporting period : 2004-2008
Infant mortality (includes death due to neglect) - Rate: # infant deaths 0-1 year per 1,000 live births	4.9 per 1,000					Reporting period : 2004-2008
Poverty - Percent: # residents below 100% FPL/total # residents	9.3% -					Reporting period : 2000
Crime - Rate: # reported violent crimes per 100,000 residents					449 per 100,000	Note: only violent crime was included in this calculation and

¹ CAPTA information is often qualitative rather than quantitative and may be most usefully addressed in the narrative section to provide Information on existing home visiting programs and resources.

² Data collected by Head Start and Early Head Start grantees for their community-wide strategic planning and needs assessments may not be present in every identified at-risk community (especially for Early Head Start). Second, Head Start and Early Head Start grantees are not required to use uniform data sources or metrics so there is likely to be wide variation in the data.

CFDA # 93.505			I		
- # crime arrests ages 0-18/100,000 juveniles age 0-18 years	 1-			Part 1: 79 per 100,000 Part II: 223 per 100,000	rates are based on total Massachusetts population per 100,000 not 1,000 Reporting period: 2008Note: Juvenile arrest data are for juveniles under the age 18. Rates are based on total Massachusetts population (adult and juvenile) Reporting period: 2005
Domestic Violence - Percent: abuse prevention filings (restraining orders) by district court	 			5.5%	There is no statewide metric for universally reporting domestic violence in Massachusetts. MA used restraining orders by regional Court District as a proxy number. Reporting period: 2009
School Drop-out Rates - Percent: high school drop-out grades 9- 12 out of total enrollment - Other school drop-out rates as per State/local calculation method	 			2.9%	Reporting period: 2008-2009 aggregated. Note: the value from school districts is applied to all cities/towns in that district.
Substance abuse		-	26.6%		Reporting period:

³ Binge drinking: five or more drinks on the same occasion- or within a couple of hours of each other- on at least 1 day in the past 30 days

CFDA # 93.505				
- Prevalence rate: Binge alcohol use in past month ³		(Alcohol)		2006-2008
- Prevalence rate: Marijuana use in past month		8.1% (Marijuana)		
 Prevalence rate: Nonmedical use of prescription drugs in past month Prevalence rate: Use of illicit drugs, excluding Marijuana, in past month 		5.7% (Non- medical Prescription		
		4.1% (Illicit drugs)		
<u>Unemployment</u> -Percent: # of unemployed and seeking work/total workforce	 	 	8.5%	Reporting period: May 2010
Child maltreatment -Rate: # of substantiated child reports maltreatment (0- <9 years) per 1,000 - Percent: reported substantiated maltreatment by type - Neglect (as % of all maltreatment) - Physical Abuse (as a % of all maltreatment)	 	 	19.5 per 1,000 92% (Neglect	Unduplicated counts of child with supported investigations added to unduplicated counts of assessed children with concerned findings (June 1, 2009-May 31, 2010)
- Sexual Abuse (as a % of all maltreatment)			13% (Physica l) 2%	Duplicated counts of substantiated maltreatment by type (2008)

CFDA # 95.505			(Sexual)	
Other indicators of at risk prenatal,				
maternal, newborn, or child health				
Prenatal Care				Reporting period:
- % pregnant women with less than	16.5%	 	 	2004-2008
adequate prenatal care				
Breastfeeding	20%	 	 	Reporting period:
- % mothers not intending to breastfeed	2070	 	 	2004-2008
Smoking	7.3%	 	 	Reporting period:
- % maternal smoking during pregnancy		 	 	2004-2008
Overweight and Obesity	41.8%: Overweight			Reporting period:
- % overweight and obesity among women		 	 	2006-2008
of childbearing 18-44 years	17.2%: Obese			
Maternal Weight	21.7%: Overweight			Reporting period: 2007-2008
- % of pregnant women overweight and	21.770. Overweight			2007-2008
obese	16.6%: Obese			
	10.070. 00000			
Substance Use Disorder in Pregnancy				Reporting period:
- # pregnant women admitted to substance	753	 	 	2008
use programs				
Alcohol Use	18.5%: Binge			Reporting period:
- % women reporting binge drinking or	5.8%: Heavy	 	 	2006-2008
heaving drinking 18-44 years	3			
Alcohol Use in Pregnancy	11.3%: any alcohol			Reporting period: 2007-2008
- % of alcohol use or binging during the	use in last 3 months			2007-2008
last three months of pregnancy				
	0.6%: binging			
	during last 3			
	months			
Maternal Mortality Ratio	10.3 per 100,000	 	 	Reporting period: 2008
- maternal deaths per 100,000 live births	10.5 per 100,000			
<u>Pregnancy-Associated Deaths</u>	29.7 per 100,000	 	 	Reporting period: 2008
- rate pregnancy-associated deaths per				2008

Formatted: Centered

CFDA # 93.505					
100,000 live births					
Inter-Pregnancy Interval	49.4%: <20				Reporting period:
% short (< 12 months) inter- pregnancy	17.4%: 20-34				 2008
intervals by maternal age	11.3%: 35+				
Maternal Depression					Reporting period:
- % women always or often experiencing					2007- 2008
depressive symptoms in postpartum	7.7%				
period					
Mental Health: Women					Reporting period:
- % ER visits for mental health or related	17.1%				 2005-2007
causes for women 15-44 years					
Mental Health: Men					Reporting period:
- % ER visits for mental health or related	20.2%				 2005-2007
causes for men 15-44 years					
Childhood Asthma	10.20/				Reporting period:
% children <18 years with asthma	10.3%				 2005-2007
Asthma Hospitalizations					Reporting period:
- rate asthma hospitalizations & asthma	150 5 100 000				2008
related hospitalizations per 100,000	158.5 per 100,000				
individuals (all ages)					
Lead Poisoning					Reporting period:
- % lead poisoning among children ages 6	0.8%				 FY04-FY08
months-72 months who were tested					
Child Overweight and Obesity	14.70/. 01				Reporting period:
- % children <5 years of age in WIC who	14.7%: Obese				2009
were obese ($\geq 95\%$ ile)	A 2 5				
- % children aged 2-5 years in WIC who	Age 2-5 years:				
were overweight (85-<95%ile) and obese	16.9% overweight;				
· · · · · · · · · · · · · · · · · · ·	16.8% obese				
BMI	27.60/				Reporting period:
$-\frac{4^{th}}{9}$ graders with BMI for age > 85%ile	37.6%				 2008-2009
Children's Medical Security Plan (CMSP)	16 202				Reporting period:
caseload	16,283				 June 30, 2010
	1	l	1	1	 _1

CFDA # 93.505				
- CMSP enrollment (#)				
Infant and Early Childhood Mental Health - % children <5 experiencing toxic stress in at least 1 of 4 areas	26%	 	 	Reporting period: 2008
Children's Behavioral Health Initiative (CBHI) - % children with MassHealth screened by age	35.4%: <6 months 65.1%: 6months- 2 yrs 70.2%: 3yrs – 6yrs 73.1%: 7yrs-12yrs 66.7%: 13yrs-17yrs 28.1% 18yrs-20yrs	 	 	Reporting period: 2010
Early Intervention (EI) - % 0- <3 years enrolled in EI	14.0%	 	 	Reporting period: 2009
Poor Performing Schools - level poor performing school (1-4) - L1= Best Performing/ L4= Worst Performing		 	 N/A	Reporting period: 2008. Note: the value from school districts is applied to all cities/towns in that district.
Subsidized Childcare - % children (0-<11 years) waitlisted for an EEC subsidized childcare slot		 	 1.4%	Reporting period: Census 2000
Truancy* - % students truant 9 or more days during school year		 	 0.6%	Reporting period: 2008-2009
Special Education* - % of Special Education placement (students with IEPs)		 	 17.0%	Reporting period: 2009-2010
Unintentional Injuries - rate of unintentional injuries ages 0-9 years per 100,000	10132 per 100,000	 	 	Inpatient Hospitalizations, Observation Stays and Emergency Department Discharges Associated with Unintentional Injury (Summed),

CFDA # 93.505					MA Residents 0-9 Years, FY2008
Infant Death due to SIDS/Unintentional Injury (preventable deaths) - % infant death due to SIDS or unintentional injury		 		5.9%: SIDS 1.1%: Uninten tional injury	Reporting period: 2008
Substance use - substance use disorder admissions rate per 100,000 individuals		 	1621.6 per 100,000		Reporting period: 2008
Single Parent Households - % of children 0-11 years living in single parent households	21.6%	 			Reporting period: Census 2000
Mother's Education - % of infants born to mothers with less than a high school degree	10.6%	 			Reporting period: 2004- 2008
Teen Births - rate of births to females 15-19 years per 1,000 live births	20.1 per 1,000	 			Reporting period: 2008 (using 2005 inter-census data)
Incarcerated Parents - % incarcerated parents of total incarcerated population		 		54%	Reporting period: 2010
Child Poverty - % of children 0-5 years old living below 185% FPL	26.4%	 			Reporting period: Census 2000
Public Assistance - % women giving birth receiving publically financed health care	33.1%	 			Reporting period: 2004-2008
Homeless Children - # of children 0-12 years who are homeless		 		4,853	Reporting period: 2008
Emergency Assistance (EA): Families		 		48,377	Reporting period: 2009-2010

CFDA # 93.505					
- # of families seeking Emergency					
Assistance (EA)					
, ,					
Emergency Assistance (EA): Children					Reporting Period:
- # of children (0-18 years) residing in EA				 6,331	July 31, 2010
Temporary Shelters				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Family Poverty					Reporting period:
- % of families living below 185% FPL	15.3%			 	Census 2000
Food Stamps					Reporting period:
- % of students (0-12 years) receiving Food				 8.0%	2007
Stamps				0.070	
Free Lunch Program					Reporting period:
- % of students participating in the Free				27.4%	2009-2010 school
Lunch Program				 27.470	year
Homeless Children & Childcare		+			Reporting period:
- % of homeless children 0-12 years				10.0%	2009
1				 10.070	
receiving childcare					Reporting period:
Reduced School Lunch				5.60/	2009-2010 school
- % of students receiving reduced school				 5.6%	year
lunch					-
TAFDC Caseload				 6.6%	Reporting period: 2009
- % of families receiving TAFDC				0.00,0	
Health Professional Shortage Area (HPSA)					Reporting period: 2009
- areas of the state who lack providers in	N/A			 	2009
primary, dental, or mental health care (see	1 1/11				
sources for more detailed description)					
Medical Home for Children					Reporting period:
- % of children with medical home < 18	66.2%			 	2007
years					
Presence of Community Service Agency					Reporting period:
(CSA)	26				2010
- presence of CSA (for children with	20			 	
disabilities) located in region of MA					
			1	1	

CFDA # 93.505				
(count)	_			
Race/Ethnicity - % of residents who identify as non-White	19.0%	 	 	Reporting period: 2005
ESL - % of students 1st language not English		 	 15.6%	Reporting period: 2009-2010 school year
<u>Limited English</u> - % of students considered 'limited English proficient'		 	 6.2%	Reporting period: 2009-2010 school year
Immigration: Foreign Born Mothers - % of foreign born mothers	27.7%	 	 	Reporting period: 2008
Immigration: Total Population - % of residents foreign born - # of undocumented immigrants		 	 14.2%	Reporting period 2007
Refugees and asylees - # of refugees and asylees		 	 7,459	Reporting period: 2005-2009
Healthy Start - caseload for Healthy Start Insurance Program (health insurance for undocumented pregnant women)		 	 3,890	Reporting period: June 30, 2010
Active Military - % residents in the Armed Forces		 	 0.1%	Reporting period: Census 2000
<u>Veterans</u> - % of residents who are civilian veterans		 	 11.5%	Reporting period: Census 2000
Female Veterans - The rate of civilians aged 18 plus who are female veterans per 1,000		 	 5.9 per 1,000	Reporting period: 2005